

# 4600448

sport

Opel OHC small block (1.2 > 1.6L)

I-4cyl 1.6L 8v SOHC (RPH/RPH)



**intake**                      **exhaust**

**camshaft data:**

lash ramp	: 0.25mm	0.25mm
duration @ 0.1mm	: 282°	282°
duration @ 1.0mm	: 236°	236°
valve lift	: 10.90mm	10.90mm
cam lift	: 6.30mm	6.30mm
lobe angle	: 108°	108°
timing @ 1.0mm	: 10° / 46°	46° / 10°
valve lift @ TDC	: 2.25mm	2.25mm


**parts setup:**

cam wheels :	:	:
follower	: O.E.M.	: O.E.M.
valve lash	: <b>CC081</b>	: <b>CC081</b>
valve	: O.E.M.	: O.E.M.
valve locks	: O.E.M.	: O.E.M.
upper retainer	: O.E.M.	: O.E.M.
lower retainer	: O.E.M.	: O.E.M.
exterior spring	: <b>✗ not available</b>	: <b>✗ not available</b>
interior spring	:	:

fitted load / length	: 0kg @ 0.0mm	: 0kg @ 0.0mm
max. load / lift	: 0kg @ 0.0mm	: 0kg @ 0.0mm

**REMARKS :**

# Many different valve spring setups have been used in these engines.  
In most cases, the std spring can be replaced by **PAC-S99863**. Please contact Cat Cams if a different setup must be used due to fitting, coil bind or valve float



**REMARKS :**